


Researchers find link between locus of control in adolescents and use of tobacco and alcohol

March 28 2019, by Bob Yirka



Credit: CC0 Public Domain

A team of researchers from the University of Bristol and AstraZeneca has found what they describe as a link between the "locus of control"

(LoC) in adolescents and their use of tobacco and alcohol. In their paper published in *Royal Society Open Science*, the group describes their study of data from the Avon Longitudinal Study of Parents and Children and what they found.

LoC is described by psychologists as a perception or world view by an individual—those who see themselves as mostly at the whim of others are said to have an external LoC. Those who see themselves as being more in control of what happens to them, on the other hand, are described as having an internal LoC. In this new effort, the researchers sought to learn more about the role LoC might play in [adolescent children](#) choosing to smoke tobacco products and/or drink alcohol-based beverages.

The study by the team consisted of accessing data obtained from the Avon Longitudinal Study of Parents and Children—also known as Children of the '90s—an ongoing study conducted by the University of Bristol that involves gathering data, first from 15,247 [pregnant women](#) in the early 1990s, and then from their [family members](#), including their [children](#), as time passes. Part of the data contains information from interviews and questionnaires filled out by the children that were born to the initial women who moved through the various stages of their lives—most are now in their mid to late 20s.

The researchers studied the data from the offspring, focusing on the parts that revealed information about their LoC and then compared what they found with their tobacco and alcohol use. They report that they found a connection—those children with an external LoC were found to be more likely to take up smoking cigarettes and to become addicted as they grew older. They found similar results for children at age 17 using alcohol in hazardous ways, but not as they grew older.

The researchers suggest their findings might serve as a signal for parents,

letting them know that their children are more at risk of [tobacco](#) and [alcohol](#) abuse if they have an external LoC.

More information: G. Lassi et al. Locus of control is associated with tobacco and alcohol consumption in young adults of the Avon Longitudinal Study of Parents and Children, *Royal Society Open Science* (2019). [DOI: 10.1098/rsos.181133](https://doi.org/10.1098/rsos.181133)

© 2019 Science X Network

Citation: Researchers find link between locus of control in adolescents and use of tobacco and alcohol (2019, March 28) retrieved 24 April 2024 from <https://medicalxpress.com/news/2019-03-link-locus-adolescents-tobacco-alcohol.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.