

Parent and sibling attitudes among top influences on teenage e-cigarette use

September 30 2019, by Marcene Robinson



Credit: University at Buffalo

Flavor, safety and family attitude toward vaping are among the greatest factors influencing teenage perception of e-cigarettes, new University at Buffalo research finds.

Published in the September-October issue of the Journal of Pediatric Nursing, the study is one of a few to examine the perception adolescents have of e-cigarettes and where these youth receive information about the products.

E-cigarette use has exploded in recent years, rising from less than 2% of [high school](#) and middle school students in 2011 to more than 27% in 2018, becoming the most commonly used tobacco product among teens, according to the Centers for Disease Control (CDC).

In the wake of recent vaping-related illnesses and deaths, teenage perceptions of the products are crucial to guiding the development of interventions, says Eunhee Park, Ph.D., lead investigator and assistant professor in the UB School of Nursing.

"E-cigarette use is an emerging health issue," said Park. "Given this rapid increase in [e-cigarette use](#) among adolescents who are at a developmentally sensitive stage in their lives, a great deal of concern has been expressed about the implications for their health now and in the future."

Perception powers decision-making for teens

The UB researchers interviewed adolescent users and non-users of e-cigarettes in the Western New York area to learn about their attitudes toward vaping. Unique to this population is that while many adults turn to vaping to help them quit smoking conventional cigarettes, the majority of teens have never smoked cigarettes, says Park.

Compared to other illicit substances, participants generally had a more positive view of e-cigarettes, and acknowledged the popularity and acceptance of vaping among their peers.

However, where their perceptions differed is that participants who vaped viewed e-cigarettes as safe, while non-users considered the product to be less harmful than cigarettes, but still dangerous and addictive.

Although the harms associated with cigarettes were well known among

adolescents, the majority of participants had a vague understanding of the potential dangers of e-cigarette use.

The variety of flavors available for e-cigarettes was an attractive feature for participants who vaped, as they generally disliked the taste of cigarettes. Non-users were the only participants who viewed e-cigarettes as a gateway to other drugs and risky behaviors.

"The fact that non-users were particularly concerned about gateway effects could be used in prevention programs to keep them from starting e-cigarette use," said Park. "However, once adolescents have used e-cigarettes, pleasant and attractive features, such as flavors, may need to be the most important aspects to be addressed in interventions."

Participants listed family, advertisements, peers, the internet and social media sites such as Instagram as sources of information about e-cigarettes.

Non-users were more likely to have parents who viewed vaping negatively. Participants who used e-cigarettes, on the other hand, reported having older siblings who used the products to quit smoking, influencing their perception of e-cigarettes as beneficial and potentially providing easier access to vaping products, says Park.

Clinicians missing from the discussion

Surprisingly, [health care providers](#) were not mentioned as a source of information on e-cigarettes, says Park.

"Given that health care providers are expected to be reliable experts on all health-related matters, it is important for them to understand this new phenomenon and provide an effective preventive effort," said Park.

The researchers call for mandatory education on [e-cigarette](#) use for teens, and for the inclusion of appropriate warnings on products and in advertisements to adolescents. Increased regulation of flavored e-cigarettes may also be a promising approach to intervention, says Park.

More information: Eunhee Park et al. Listening to adolescents: Their perceptions and information sources about e-cigarettes, *Journal of Pediatric Nursing* (2019). [DOI: 10.1016/j.pedn.2019.07.010](https://doi.org/10.1016/j.pedn.2019.07.010)

Provided by University at Buffalo

Citation: Parent and sibling attitudes among top influences on teenage e-cigarette use (2019, September 30) retrieved 24 April 2024 from <https://medicalxpress.com/news/2019-09-parent-sibling-attitudes-teenage-e-cigarette.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--