

Study finds that frequent cannabis users are way too high... in their estimates of cannabinoids

April 15 2020, by David J. Hill



Credit: CC0 Public Domain

One would think that cannabis enthusiasts attending a marijuana advocacy event would be knowledgeable about cannabinoids.

Not necessarily, according to the findings of a study by researchers from the University at Buffalo and the University of Michigan, who surveyed frequent cannabis users at an annual marijuana advocacy event held on the University of Michigan campus.

The surprisingly low level of knowledge about tetrahydrocannabinol (THC) and cannabidiol (CBD) content, and effective dosages, demonstrated by Hash Bash participants highlights the need for additional public health education and research, according to Daniel Kruger, PhD, lead author of the study, published online ahead of print today in the journal *Drugs: Education, Prevention and Policy*.

"Even the people who are most enthusiastic have very poor knowledge of cannabinoid content. They greatly overestimated how much THC and how much CBD was in various strains, and what the effective dosages were," said Kruger, a research associate professor of community health and health behavior in the UB's School of Public Health and Health Professions. He is also a research investigator with the Population Studies Center at the University of Michigan.

Researchers surveyed nearly 500 Hash Bash attendees, asking them to fill out a 24-item questionnaire. Two-thirds of participants reported using cannabis every day, and most said it was for health or medical purposes. More than three-quarters of survey-takers said their knowledge of cannabis came from their own experiences.

The study survey asked participants to fill in, in milligrams, the amounts they considered to be effective doses of THC and CBD. (THC is the principal psychoactive compound and the one largely responsible for the high experienced by users. CBD does not have the same psychoactivity, but has other effects, such as reduction of anxiety.) They could also check the box for "I don't know."

The majority reported they didn't know. Other participants gave average estimates of 91 milligrams for THC and 177 milligrams for CBD. In other words, they were way off.

"The average estimate for an effective dose of THC would actually be fatal in humans," Kruger said.

One participant even said 1 million milligrams was the effective dose for THC. "That's a kilogram of THC. That's enough to fill an entire football stadium full of people and get them all high," Kruger said.

Participants also were asked to fill in what they thought were the percentages for high and low THC strains, and high and low CBD strains. The majority (58%) believed that a low-THC strain of cannabis was 20% THC or higher—a level that would actually be considered a high-THC strain. In addition, 22% believed that a low-THC strain of cannabis was 40% THC or higher, which exceeds the levels of anything available now.

For CBD, 86% felt that a low strain of cannabis was 10% CBD or higher, a level considered representative of a high-CBD strain of cannabis. Nearly half believed that a low strain was 30% CBD or higher, which exceeds the CBD level of any existing strain.

"Our results suggest the need for broad-based cannabis education programs to help advocates and the general public to better understand and manage their use of the drug," said study co-author, R. Lorraine Collins, PhD, associate dean for research in UB's School of Public Health and Health Professions.

The current paper is the latest in a series of studies Kruger and his UB colleagues have published in recent years, based on data collected at Hash Bash. Their findings have shown how little many cannabis users

know about the drug. The researchers also have highlighted the lackluster public health efforts to promote an effective harm reduction approach to marijuana use, especially during an era when cannabis is being deregulated in many states.

The stakes are higher with an increasing percentage of Americans using cannabis for a variety of recreational and medical reasons, as well as increasing cannabis potency, researchers say.

"Cannabis [strains](#) are 20 times as potent today as they were during the Summer of Love," said study co-author Jessica Kruger, PhD, clinical assistant professor of community health and health behavior in UB's School of Public Health and Health Professions.

The main message: "We really have to educate people. This has very real consequences, because these compounds have differential effects," Daniel Kruger said. "Most Americans now live in a state where cannabis is legal, at least for medical purposes, but the information channels aren't there regarding safe and effective cannabis use."

More information: Daniel J. Kruger et al. Frequent cannabis users demonstrate low knowledge of cannabinoid content and dosages, *Drugs: Education, Prevention and Policy* (2020). [DOI: 10.1080/09687637.2020.1752150](#)

Provided by University at Buffalo

Citation: Study finds that frequent cannabis users are way too high... in their estimates of cannabinoids (2020, April 15) retrieved 19 September 2024 from <https://medicalxpress.com/news/2020-04-frequent-cannabis-users-high-cannabinoids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.