

Out-of-hospital cardiac arrests on the rise during COVID-19 crisis

April 30 2020, by E.j. Mundell, Healthday Reporter



(HealthDay)—Stress placed on the heart by COVID-19, a hesitancy by

people to call 911, and even reluctance on the part of bystanders to perform CPR may be boosting rates of out-of-hospital cardiac arrest, a new report finds.

The data comes from four provinces in northern Italy, a region that was hit very hard and very early by the coronavirus pandemic.

The researchers said that between Feb. 21 and March 31, 2020, there was a 58% jump in the number of cardiac arrests that occurred before victims could get to the hospital, compared to the same time frame last year.

In more than three-quarters of the cases, COVID-19 was diagnosed in the affected patients, said a team led by Dr. Enrico Baldi, of the University of Pavia. His team reported their findings online April 29 in the *New England Journal of Medicine*.

Why the spike? People may be waiting longer to reach out to emergency medical services (EMS) for help, the Italian team believes.

Compared to 2019 rates, "the incidence of out-of-hospital cardiac [arrest](#) at home was 7.3 percentage points higher," the researchers noted, "and the incidence of unwitnessed cardiac arrest was 11.3 percentage points higher."

It also took an average 3 minutes longer for EMS crews to arrive on the scene of a cardiac arrest in 2020 versus 2019, and "the proportion of patients who received cardiopulmonary resuscitation [CPR] from bystanders was 15.6 percentage points lower," Baldi's group reported.

Reading over the new report, experts working on the front lines of the U.S. COVID-19 crisis weren't surprised.

"As we start analyzing the data in the U.S., we are taking the lead from countries that were hit hard first," said Dr. Satjit Bhusri, a cardiologist at Lenox Hill Hospital in New York City. "We suspect similar findings in the U.S. when it comes to the dramatic increase of out-of-hospital cardiac arrests."

He said that COVID-19 could boost cardiac arrest rates in multiple ways.

"First, the disease itself. Preliminary studies have shown that COVID-19 may have an increased incidence of cardiac arrest through some inflammatory response," Bhusri explained.

Then there's the fear of contracting the illness when cared for in a hospital, he said. And finally, "overwhelmed health care systems lead to longer response times from ambulances—and even Good Samaritans," Bhusri reasoned.

Dr. Guy Mintz directs cardiovascular health at the Sandra Atlas Bass Heart Hospital, in Manhasset, N.Y. He went into more detail on just how COVID-19 stresses the [heart](#).

"We know the virus causes systemic inflammation and an enhanced immune—'cytokine'—response," Mintz said. "This can lead to inflammation of the heart, called myocarditis, or it can produce micro-thrombi (micro-clots) in the arteries of the heart. That leads to cardiac damage and arrhythmias, leading to [cardiac arrest](#) and death," he explained.

"Furthermore, COVID-19 infection has been associated with an increased number of blood clots in the range of 30% to 40% of patients," Mintz said. "Blood clots in the lungs, called [pulmonary emboli](#), can compromise [oxygen levels](#) and put tremendous stress on the heart and lungs leading to cardiovascular collapse. Stroke has also been

reported in the infected group."

More information: There's more on CPR and cardiac arrest at the [U.S. Centers for Disease Control and Prevention](#).

Copyright © 2020 [HealthDay](#). All rights reserved.

Citation: Out-of-hospital cardiac arrests on the rise during COVID-19 crisis (2020, April 30)
retrieved 20 September 2024 from
<https://medicalxpress.com/news/2020-04-out-of-hospital-cardiac-covid-crisis.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.