


# Pilot study suggests Parkinson's disease progression can be slowed

June 29 2020

---



Vanderbilt's Mallory Hacker, PhD, and David Charles, MD. Credit: Vanderbilt University Medical Center

Deep Brain Stimulation (DBS) implanted in early stage Parkinson's disease decreases the risk of disease progression and the need to prescribe multiple drugs to patients simultaneously, according to a five-year outcomes study of 30 patients released in the July 2020, issue of

*Neurology*, the medical journal of the American Academy of Neurology.

The journal released a Classification of Evidence statement along with the study stating that it provides "Class II evidence that DBS implanted in early stage Parkinson disease decreases the risk of disease progression and polypharmacy compared to optimal medical therapy alone."

"Parkinson's is relentless. There's nothing that slows down its progression. With this pilot study, we've shown that if DBS is implanted early it's likely to decrease the risk of progression, and if this is borne out in our larger study it would be a landmark achievement in the field of Parkinson's disease," said senior author David Charles, MD, professor and vice-chair of Neurology at Vanderbilt University Medical Center (VUMC).

The FDA has approved VUMC to lead a 130-patient, multi-site double-blinded randomized clinical trial of DBS for early stage Parkinson's; if results of the pilot trial are replicated in that larger study, DBS will become the first therapy proven to slow the progression of any element of Parkinson's.

Parkinson's is a long-term neurodegenerative disorder most obviously characterized by tremor, rigidity, slow movement (bradykinesia) and difficulty with balance and walking.

As of 2016, some 6.2 million people worldwide were living with Parkinson's. According to the Parkinson's Foundation, as many as 60,000 Americans are diagnosed each year with the disease.

Early stage Parkinson's disease is defined as within four years of disease onset.

From 2006 to 2009, the investigators enrolled 30 patients, all of whom

received optimum drug therapy, with a random half additionally receiving DBS, which is often characterized as a pacemaker for the brain.

The DBS surgery uses a pair of ultra-thin electrodes surgically implanted deep into the brain to deliver electric pulses to the subthalamic nucleus, a small cluster of neurons. As with a heart pacemaker, the electric pulses are supplied by a battery implanted under the skin near the collarbone.

After five years, the patients who received optimal drug therapy only but not surgery in early-stage Parkinson's had five-fold greater odds of experiencing worsening of their rest tremor, a hallmark of this disease, as compared to patients who received early DBS in addition to drug therapy.

In other five-year outcomes from the study, the DBS patients required considerably less of the medication used to manage symptoms of Parkinson's.

"Patients who were randomized to receive early optimal drug therapy had 15-fold greater odds of needing multiple types of Parkinson's disease medications," said project leader Mallory Hacker, Ph.D., MSCI, assistant professor of Neurology at VUMC.

In a marked but uncertain trend falling just short of statistical significance, Parkinson's patients randomized to receive drugs alone were more than twice as likely to have worse motor symptoms than patients who received early DBS.

"What this [pilot study](#) is most clearly telling us is that the new FDA-approved Phase III study must be done to definitively determine whether DBS slows the progress of Parkinson's [disease](#) when implanted in the very earliest stages," Charles said.

"While this is an incredibly exciting finding, patients and physicians should not change clinical practice at this time," he added.

Provided by Vanderbilt University Medical Center

Citation: Pilot study suggests Parkinson's disease progression can be slowed (2020, June 29) retrieved 25 April 2024 from <https://medicalxpress.com/news/2020-06-parkinson-disease.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.