

Leiden cholera epidemics mapped out, literally

10 September 2020, by Corine Hendriks



D. Lombard, *Tableau des progrès du cholera morbus depuis 1817 jusqu'au mois d'Octobre 1831*. Genève, 1831 (COLLBN Port 144 N 169).

Three cholera epidemics struck 19th-century Leiden. Today's coronavirus pandemic prompted Martijn Storms, curator of maps and atlases at the Leiden University Libraries, to scour the library for maps about these past epidemics.


"As a child I was always poring over my parents' atlas," says Storms. "That was the Winkler Prins Family Atlas from 1974. It is now on my bookshelf, looking somewhat the worse for wear." Storms' fascination for maps led straight to his present job at the University Library, stopping only to take in a degree in Social Geography and Planning, and a specialization in GIS/cartography, on the way. He has been in his present job for 14 years now.

Cartographic images of complex data

Cholera outbreaks struck several cities in the Netherlands in the 19th century, including Leiden. Storms saw how mapmakers struggled to aggregate the complex data gathered about the disease, for instance about its temporal and [spatial distribution](#), into a clear cartographic image, a

problem mapmakers still face today.

The current coronavirus pandemic has led to an "infodemic," says Storms: "A huge quantity of information is visualized in a huge quantity of maps, but this is not always according to basic cartographic rules. A common mistake is to use absolute numbers when you should be using relative ones. Good maps use proportional circles to show the number of infections or calculate the number of infections per 100,000 inhabitants for each counting area."



[C. Pruys van der Hoeven, C.W.H. van Kaathoven & G. Salomon], *Platte-grond der stad Leiden [in 1832]*. [Leiden: C.C. van der Hoek, 1833] (COLLBN Port 14 N 53).

Thematic mapping


Geographical maps have been around for a long time, but the desire to map thematic information also goes back centuries—as do opinions on what makes for a realistic picture. Storms: "Thematic cartography developed especially quickly in the 19th century. One reason for this was the [cholera](#) epidemics that came in waves during that century." Originating in India in 1817, Cholera Asiatica or

Cholera Orientalis spread to Russia and reached western Europe in 1831. The first case in the Netherlands was diagnosed in Scheveningen at the end of June 1832: fishermen had brought the disease to the Netherlands from England. In the same year, more than 10,000 people in the Netherlands died in this epidemic, especially in the cities in the densely populated western part of the country. Storms: "We have town plans of Leiden, Amsterdam, Gouda, Groningen and Scheveningen that relate to the 1832 cholera epidemic."

The first cholera map from 1832

The map of Leiden from 1832 shows four classes of cholera infection: white for streets and neighborhoods that were unaffected, lighter shading for those with a few infections, darker shading for those with more infections and black to signify the areas that were hardest hit. "These were dead-end alleys and slums where the poorest inhabitants lived in unsanitary conditions," says Storms.

The map was published in the book "Geschiedverhaal van de cholera-epidemie te Leiden in 1832," written by three doctors from Leiden and published in 1833 by C.C. van der Hoek. Storms: "This is one of the oldest thematic maps to show the spatial distribution of the epidemic in Europe and probably the oldest of its kind in the Netherlands."




J.W. Schaap, Kaart aanwijzende de verspreiding der cholera, en het aantal sterfgevallen aan deze ziekte in elk der 39 buurten van Leiden, 1867 (COLLBN Port 52 N 3).

The 1866 epidemic: Leiden and Amsterdam

Cholera continued to lurk, and led to a big outbreak in the Netherlands in 1849. Much to Storms' surprise, no maps can be found of this. The opposite is true for the next outbreak, however, in 1866. The printed map of the distribution of infections and deaths in Amsterdam, compiled under doctor Isaac Teixeira de Mattos, is well-known. Storms: "What is less well-known is that Leiden city architect J.W. Schaap compiled, in manuscript, a similar map of Leiden in the same year. Which of the two mapmakers followed the other's example is unclear." The single known copy of the Leiden map, kept at Leiden University Libraries, shows the division of the city into 39 neighborhoods.

The same problem

It is clear that both mapmakers struggled with how to bring together the spatial and temporal data about the disease into one clear map. "Although the maps look colorful and contain a lot of information," says Storms, "they fail to communicate the data in one clear image. The symbols are not proportional and the colors chosen for the consecutive weeks lack a clear order. However, both Teixeira de Mattos and Schaap related the number of deaths to the number of inhabitants per neighborhood, expressed in a number per 1,000 inhabitants." The Leiden map is accompanied by a table and a chart, in which the temporal spread of the epidemic is clear to see. The first death was on 4 May 1866 and the epidemic had reached its peak in June.



Lower-left sheet of Kaart der stad Leiden aanwijzende de sterfte aan cholera en typhus gedurende de jaren 1853-1869 benevens sommige ophoppingen van schadelijk vuil. Leiden: Vereeniging tot Verbetering der Volksgezondheid, 1870 (COLLBN 001-09-018/020).

The detailed map from 1869-1874

In contrast to the Amsterdam map, the Leiden one from 1866 was not printed. According to historian Heleen van der Weel (1999), the initial intention was to make a lithograph of the map, but another map was published soon after, by the Vereeniging tot Verbetering der Volksgezondheid in Leiden. This map shows the cholera and typhus deaths for the period 1853-1869. Black (cholera) and red (typhus) symbols indicate the number of deaths per address. Storms: "That would no longer be possible because of data privacy."

"Accumulations of harmful dirt"

Also indicated on the map are "accumulations of harmful dirt": manure pits, pig pens, cesspits, and stables. The map was printed on four sheets, the first of which was published in 1869/1870. The fourth sheet was not published until 1874 and is missing from the Leiden collection. This is most likely because the first four sheets belonged to the bequest of map collector J.T. Bodel Nijenhuis to the University Library. He died on 8 January 1872, so did not live to see the map's completion.

Provided by Leiden University

APA citation: Leiden cholera epidemics mapped out, literally (2020, September 10) retrieved 24 October 2020 from <https://medicalxpress.com/news/2020-09-leiden-cholera-epidemics-literally.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.