


# Food, housing insecurities may delay breast cancer diagnosis

November 19 2020

Lapse from Diagnostic Imaging to Biopsy



Multivariate analysis results indicating that food insecurity and housing insecurity are associated with statistically significant longer lapses between diagnostic imaging and biopsy among breast imaging patients. Credit: Radiological Society of North America

Women who experience food or housing insecurity may be at risk for undiagnosed breast cancer due to lapses in follow-up appointments, according to research being presented at the annual meeting of the

Radiological Society of North America (RSNA).

"Diagnosing [breast cancer](#) at an early stage is very important for survival," said Aaron Afran, a third-year medical student at Boston University School of Medicine (BUSM). "Concerning mammography findings lead to the need for additional imaging, such as [diagnostic mammography](#) and ultrasound, and there can be a lapse in time between imaging appointments."


Researchers retrospectively reviewed the medical records of two groups of women undergoing breast imaging at Boston Medical Center (BMC) from January 2015 to December 2018. The first group included 4,959 women who underwent screening mammography and, based on a BI-RADS score of 0, were recommended for [diagnostic imaging](#). The second group included 3,028 women who underwent diagnostic breast imaging and were recommended for a breast biopsy based on a BI-RADS score of 4 or 5.

The women were included in the study cohort if they had also completed the BMC's THRIVE screening tool designed to help primary care clinicians understand and address patients' unmet social needs, or social determinants of health (SDH).


The THRIVE questionnaire addresses eight social variables including housing, employment, transportation to medical appointments, whether the patient has trouble with caretaking responsibilities, and if the patient can afford food, medicine and utilities.

"Our goal with this study was to understand how social determinants of health influence the [time interval](#) between breast imaging and follow-up appointments," Afran said.

**Hazard Ratio for Screening Mammography to Diagnostic Imaging Lapse**



**Hazard Ratio for Diagnostic Imaging to Biopsy Lapse**



Hazard ratio for screening mammography to diagnostic imaging lapse (top). Hazard ratio for diagnostic imaging to biopsy lapse (bottom). Credit: Radiological Society of North America

Of the 4,959 patients in the first group who underwent mammography screening, 1,510 patients (30.7%) had SDH data and were included in a multivariate analysis (mean age 59.1 years, 56.2% black, 18.2% white, 25.6% other race/unknown; 16.5% were Hispanic).

Of the 3,028 patients in the second group who had suspicious diagnostic imaging results, 812 patients (26.9%) had complete SDH data and were included in a multivariate analysis (mean age 60.9 years, 57.5% black, 22% white, 20.5% other race/unknown; 13.6% were Hispanic).

Results of the statistical analysis demonstrated that having food or [housing insecurity](#) was associated with longer lapses between diagnostic imaging and breast biopsy compared to interval times for women without those unmet social needs.

The study results confirm that unmet social needs are clearly relevant to patient care, noted senior author Michael D. Fishman, M.D., assistant professor of radiology at BUSM and section chief of breast imaging at BMC.

"To best serve our patient population at a safety-net hospital, we must think creatively about the social factors that are preventing our patients from receiving the best care," Dr. Fishman said. "Our findings indicate longer lapses between diagnostic imaging and biopsy for patients with unmet social needs, which begs the question: are unmet [social needs](#) associated with some amount of breast cancer mortality that could have been prevented? We seek to investigate this in future work."

According to a 2020 report from the Center for Economic and Policy Research, nearly one in three renters and one in six homeowners in the U.S. experienced housing insecurity during the first half of the year. According to the most recent data from the U.S. Department of Agriculture, 11.1% of U.S. households reported food insecurity in 2018.

Provided by Radiological Society of North America

Citation: Food, housing insecurities may delay breast cancer diagnosis (2020, November 19)  
retrieved 19 September 2024 from  
<https://medicalxpress.com/news/2020-11-food-housing-insecurities-breast-cancer.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.