

Bleach-alternative COVID-19 surface disinfectants may pollute indoor air, research shows

December 1 2020



Left to right, York University chemistry researcher Cora Young, USask Canada Research Chair Tara Kahan, Syracuse University post-doctoral fellow Shan Zhou measure air quality in a simulated room in a lab at Syracuse University in 2017. Credit: Trevor VandenBoer

Cleaning surfaces with hydrogen peroxide-based disinfectants has the potential to pollute the air and pose a health risk, according to research led by University of Saskatchewan (USask).

The research team found that mopping a floor with a commercially available [hydrogen](#) peroxide-based disinfectant raised the level of airborne hydrogen peroxide to more than 600 parts per billion—about 60 percent of the maximum level permitted for exposure over eight hours, and 600 times the level naturally occurring in the air. The results were just published in the journal *Environmental Science & Technology*.

"When you're washing surfaces, you are also changing the air you are breathing," said USask chemistry researcher Tara Kahan, senior author of the study and Canada Research Chair in Environmental Analytical Chemistry. "Poor indoor air quality is associated with respiratory issues such as asthma."

Too much exposure to hydrogen peroxide could lead to respiratory, skin, and eye irritation, according to the U.S. Centres for Disease Control.

The COVID-19 pandemic has led to increased cleaning and demand for all types of cleaning products, including bleach alternatives that contain hydrogen peroxide.

"At the beginning of the pandemic, we couldn't do research on this topic because hydrogen peroxide solutions were out of stock," Kahan said.

Kahan's team, which also included researchers from Syracuse University, York University (Toronto), and University of York (England), sprayed the vinyl floor in a simulated room environment with 0.88 percent hydrogen peroxide disinfectant and wiped it dry with paper towel either immediately or after letting it soak in for an hour. The team then tested the air at human head height.

"The real risk is for people who get repeatedly exposed, such as janitors and house cleaners," Kahan said. "We washed the floor and collected measurements at face height—the concentrations will be even stronger at the floor or at the level of a countertop."

Kahan said that the impact on children and pets—those physically closer to the disinfected surfaces—is not yet known.

More than 10 percent of disinfectants approved by Health Canada that are deemed likely to be effective against SARS-CoV-2 use hydrogen peroxide as the active ingredient. A total of 168 disinfecting products containing hydrogen peroxide as the active ingredient are approved or marketed in Canada.

There are a few ways to reduce risks while disinfecting your home, Kahan says:

- Consider using soap and water instead of a disinfectant—soap and water are known to kill the virus that causes COVID-19.
- Consider opening a window, turning on a range hood, or using your central air system—ventilation can dramatically reduce levels of pollutants circulating in the air and is one of the most effective methods of removing particles that can carry the virus.
- Opt for [hydrogen peroxide](#)-based disinfectants over bleach, as Kahan notes "Hydrogen [peroxide](#) is still much less potentially harmful than bleach."

Funded by the Canada Research Chairs program and the Alfred P. Sloan Foundation, Kahan's team—mostly women in a discipline which tends to be male-dominated—is currently repeating the experiment in a house and apartment in Saskatoon to determine whether the high numbers occur in a real world environment and to find practical ways to mitigate exposure risks.

More information: Shan Zhou et al, Hydrogen Peroxide Emission and Fate Indoors during Non-bleach Cleaning: A Chamber and Modeling Study, *Environmental Science & Technology* (2020). [DOI: 10.1021/acs.est.0c04702](https://doi.org/10.1021/acs.est.0c04702)

Provided by University of Saskatchewan

Citation: Bleach-alternative COVID-19 surface disinfectants may pollute indoor air, research shows (2020, December 1) retrieved 24 April 2024 from <https://medicalxpress.com/news/2020-12-bleach-alternative-covid-surface-disinfectants-pollute.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.