


# New tech aims to tackle 'disseminated intravascular coagulation' blood disorder

February 17 2021, by Matt Shipman



Credit: North Carolina State University

Researchers have developed a new tool for addressing disseminated intravascular coagulation (DIC) – a blood disorder that proves fatal in many patients. The technology has not yet entered clinical trials, but in vivo studies using rat models and in vitro models using blood from DIC patients highlight the tech's potential.

"DIC basically causes too much clotting and too much bleeding at the same time," says Ashley Brown, corresponding author of a paper on the work. "Small [blood clots](#) can form throughout the circulatory system, often causing organ damage. And because this taxes the body's supply of clotting factors, patients also experience excess bleeding. Depending on the severity of DIC, between 40% and 78% of patients with DIC die.

"DIC is associated with a number of other conditions, such as sepsis and cancer—and it is very difficult to treat," adds Brown, who is an assistant professor in the Joint Department of Biomedical Engineering at North Carolina State University and the University of North Carolina at Chapel Hill. "Doctors often focus on trying to treat underlying condition. But if the DIC is bad, doctors face a dilemma: if they treat the bleeding, they'll make the clotting worse; if they treat the clotting, they'll make the bleeding worse. Our goal is to find a clinical intervention that addresses this dilemma. And our results so far are promising."

Brown and her collaborators have developed a technique that makes use of nanogel spheres. The spheres are engineered to bind to a protein called fibrin, which is the main protein found in blood clots. As a result, the spheres will travel through the bloodstream until they reach a blood clot, at which point they will stick to the fibrin in the clot.

These nanospheres are about 250 nanometers in diameter and are porous. In this case, the researchers have loaded the nanospheres with tissue-type plasminogen activator (tPA) – a drug that breaks down clots.

"Based on in vitro testing and testing in a rat model, we found that where you have pre-formed clots (not active bleeding) that the tPA spheres stick to fibrin and break up the clots," says Emily Mihalko, first author of the paper and a Ph.D. candidate in the joint biomedical engineering department. "Breaking up these clots also releases other [clot](#) constituents, such as platelets, which evidence suggests may be re-recruited by the

body at active clotting sites (i.e., places where there was actually bleeding)."

In one study, the researchers evaluated the use of the tPA and targeted nanospheres in a rat model involving DIC that stems from sepsis. In that study, the researchers found that delivering tPA via the targeted nanospheres eliminated 91 and 93% of the clots found in the heart and lung respectively, and 77% of the clots found in the liver and kidneys.

"We also did in vitro testing using [blood](#) plasma from patients with DIC, and found similarly promising results," Brown says.

"We are currently exploring different dosages in the animal model," Mihalko says. "And are doing work to better understand how the particles are distributed in the body and how long it takes before they are cleared by the body—which is important information for addressing safety considerations prior to any [clinical trials](#)."

The researchers note that it is too early to put a price tag on any potential treatments that make use of the technology. However, they note that the targeted nanogels mean that treatment would likely involve using smaller doses of tPA than are currently in clinical use.

"The cost of the creating the targeted nanospheres would likely offset the savings from using less tPA, so we suspect it may be comparable to the cost of conventional tPA therapies," Brown says.

The paper, "Fibrin-modulating nanogels for treatment of disseminated intravascular coagulation," appears in the journal *Blood Advances*.

**More information:** Emily P. Mihalko et al. Fibrin-modulating nanogels for treatment of disseminated intravascular coagulation, *Blood Advances* (2021). [DOI: 10.1182/bloodadvances.2020003046](https://doi.org/10.1182/bloodadvances.2020003046)

Provided by North Carolina State University

Citation: New tech aims to tackle 'disseminated intravascular coagulation' blood disorder (2021, February 17) retrieved 23 April 2024 from <https://medicalxpress.com/news/2021-02-tech-aims-tackle-disseminated-intravascular.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.